

## Section II

### Commonly used additional categories

---

#### Chapter I CERTAIN INFECTIOUS DISEASES (A, B)

- A01 Typhoid and paratyphoid fevers**  
A01.0 + Typhoid fever  
Meningitis in typhoid fever (G01\*)
- A02 Other salmonella infections**  
A02.2 + Localized salmonella infections  
Salmonella  
intracranial abscess (G07\*)  
meningitis (G01\*)
- A06 Amoebiasis**  
A06.6 + Amoebic brain abscess (G07\*)
- A17 Tuberculosis of nervous system**  
A17.0 + Tuberculous meningitis (G01\*)  
A17.1 + Meningeal tuberculoma (G07\*)  
A17.8 + Other tuberculosis of nervous system  
Tuberculoma of brain (G07\*)  
Tuberculous abscess of brain (G07\*)
- A32 Listeriosis**  
A32.1 + Listerial meningitis and meningoencephalitis (G01\*, resp. G05.5\*)  
A32.8 Other forms of listeriosis  
Listerial cerebral arteritis + (I68.1\*)
- A39 Meningococcal infection**  
A39.0 + Meningococcal meningitis (G01\*)
- A87. – Viral meningitis**
- B02 Zoster [herpes zoster]**  
B02.0 + Zoster encephalitis (G05.1\*)  
B02.1 + Zoster meningitis (G02.0\*)  
B02.2 + Zoster with other nervous system involvement  
Acute trigeminal herpes zoster neuropathy (G53.03\*)  
Herpetic geniculate ganglionitis (G53.02\*)  
Postherpetic trigeminal neuralgia (G53.00\*)
- B05 Measles**  
B05.1 Measles complicated by meningitis (G02.0\*)
- B06 Rubella**  
B06.0 + Rubella with neurological complications  
Rubella meningitis (G02.0\*)
- B26 Mumps**  
B26.1 + Mumps meningitis (G02.0\*)

**Chapter II NEOPLASMS (C00–D48)**

<b>C69</b>	<b>Malignant neoplasm of eye and adnexa</b>
C69.2	Retina
C69.6	Orbit
<b>C70</b>	<b>Malignant neoplasm of meninges</b>
C70.0	Cerebral meninges
<b>C71</b>	<b>Malignant neoplasm of brain</b>
C71.0	Cerebrum, except lobes and ventricles
C71.1	Frontal lobe
C71.2	Temporal lobe
C71.3	Parietal lobe
C71.4	Occipital lobe
C71.5	Cerebral ventricle
C71.7	Brain stem, including fourth ventricle
C71.8	Overlapping lesion of brain
<b>C72</b>	<b>Malignant neoplasm of spinal cord, cranial nerves and other parts of central nervous system</b>
C72.2	Olfactory nerve
C72.3	Optic nerve
C72.4	Acoustic nerve
C72.5	Other and unspecified cranial nerves
C72.8	Overlapping lesion of brain and other parts of central nervous system
<b>C74</b>	<b>Malignant neoplasm of adrenal gland</b>
C74.1	Medulla of adrenal gland Phaeochromocytoma
<b>C75</b>	<b>Malignant neoplasm of other endocrine glands and related structures</b>
C75.1	Pituitary gland
C75.3	Pineal gland
<b>C76</b>	<b>Malignant neoplasm of other and ill-defined sites</b>
C76.0	Head, face and neck
<b>C79</b>	<b>Secondary malignant neoplasm of other sites</b>
C79.3	Secondary malignant neoplasm of brain and cerebral meninges
C79.4	Secondary malignant neoplasm of other and unspecified parts of nervous system C79.44 Cranial nerves [Garcin]
<b>D16</b>	<b>Benign neoplasm of bone and articular cartilage</b>
D16.4	Bones of skull and face
<b>D31</b>	<b>Benign neoplasm of eye and adnexa</b>
D31.2	Retina
D31.6	Orbit, unspecified
<b>D32</b>	<b>Benign neoplasm of meninges</b>
D32.0	Cerebral meninges
<b>D33</b>	<b>Benign neoplasm of brain and other parts of central nervous system</b>
D33.0	Brain, supratentorial
D33.1	Brain, infratentorial
D33.2	Brain, unspecified
D33.3	Cranial nerves

- D35 Benign neoplasm of other and unspecified endocrine glands**  
 D35.0 Adrenal gland  
     Phaeochromocytoma, benign  
 D35.2 Pituitary gland  
 D35.4 Pineal gland
- D36 Benign neoplasm of other and unspecified site**  
 D36.1 Peripheral nerves and autonomic nervous system  
     Cervical nerves and nerve roots
- D42 Neoplasm of uncertain or unknown behaviour of meninges**  
 D42.0 Cerebral meninges
- D43 Neoplasm of uncertain or unknown behaviour of brain and central nervous system**  
 D43.0 Brain, supratentorial  
 D43.1 Brain, infratentorial  
 D43.2 Brain, unspecified  
 D43.3 Cranial nerves
- D44 Neoplasm of uncertain or unknown behaviour of endocrine glands**  
 D44.3 Pituitary gland  
 D44.5 Pineal gland

### Chapter III DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (D50–D89)

- D86 Sarcoidosis**  
 D86.8 Sarcoidosis of other and combined sites  
     Sarcoidosis of the nervous system

### Chapter IV ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES (E)

- E10 Insulin-dependent diabetes mellitus**
- E15 Non-diabetic hypoglycaemic coma**
- E84 Cystic fibrosis**  
     Mucoviscoidosis  
 E84.0 Cystic fibrosis with pulmonary manifestations
- E87 Other disorders of fluid, electrolyte and acid-base balance**  
 E87.2 Acidosis  
     E87.20 Metabolic acidosis  
     E87.21 Respiratory acidosis

### Chapter V MENTAL AND BEHAVIOURAL DISORDERS F00–F99

- F07 Personality and behavioural disorders due to brain disease, damage and dysfunction**  
 F07.2 Postconcussional syndrome  
     A syndrome that occurs following head trauma (usually sufficiently severe to result in loss of consciousness) and includes a number of disparate symptoms such as headache, dizziness, fatigue, irritability, difficulty in concentration and performing mental tasks, impairment of memory, insomnia, and reduced tolerance to stress, emotional excitement, or alcohol.

- F10**            **Mental and behavioural disorders due to use of alcohol**
- F11**            **Mental and behavioural disorders due to use of opioids**
- F12**            **Mental and behavioural disorders due to use of cannabinoids**
- F13**            **Mental and behavioural disorders due to use of sedatives or hypnotics**
- F14**            **Mental and behavioural disorders due to use of cocaine**
- F15**            **Mental and behavioural disorders due to use of other stimulants, including caffeine**
- F16**            **Mental and behavioural disorders due to use of hallucinogens**
- F17**            **Mental and behavioural disorders due to use of tobacco**
- F18**            **Mental and behavioural disorders due to use of volatile solvents**
- F19**            **Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances**

\*The following 4th-character codes may be used, if desired, in conjunction with F10–F19, to indicate the clinical syndrome:

- F1x.0 Acute intoxication
  - Pathological intoxication
- F1x.1 Harmful use
- F1x.2 Dependence syndrome
- F1x.3 Withdrawal state
- F1x.4 Withdrawal state with delirium

**F31. – Bipolar affective disorder**

A disorder characterized by two or more episodes in which the patient's mood and activity levels are significantly disturbed, this disturbance consisting on some occasions of an elevation of mood and increased energy and activity (hypomania or mania) and on others of a lowering of mood and decreased energy and activity (depression).

Manic-depressive illness or psychosis

**F32 Depressive episode**

In typical mild, moderate, or severe depressive episodes, the patient suffers from lowering of mood, reduction of energy, and decrease in activity. Capacity for enjoyment, interest, and concentration is reduced, and marked tiredness after even minimum effort is common. Sleep is usually disturbed and appetite diminished. Self-esteem and self-confidence are almost always reduced and, even in the mild form, some ideas of guilt or worthlessness are often present. The lowered mood varies little from day to day, is unresponsive to circumstances and may be accompanied by so-called 'somatic' symptoms, such as loss of interest and pleasurable feelings, waking in the morning several hours before the usual time, depression worst in the morning, marked psychomotor retardation, agitation, loss of appetite, weight loss, and loss of libido. Depending upon the number and severity of the symptoms, a depressive episode may be specified as mild, moderate or severe.

**F32.0 Mild depressive episode**

Two or three of the above symptoms are usually present. The patient is usually distressed by these but will probably be able to continue with most activities.

**F32.1 Moderate depressive episode**

Four or more of the above symptoms are usually present and the patient is likely to have great difficulty in continuing with ordinary activities.

**F32.2 Severe depressive episode without psychotic symptoms**

An episode of depression in which several of the above symptoms are marked and distressing, typically loss of self-esteem and ideas of worthlessness or guilt. Suicidal thoughts and acts are common and a number of 'somatic' symptoms are usually present.

- Agitated depression
- Major depression
- Vital depression

- F32.8**      **Other depressive episodes**  
 Episodes should be included here which do not fit the descriptions given for depressive episodes described in F32.0–F32.3, but for which the overall diagnostic impression indicates that they are depressive in nature. An example would be a mixture of depressive symptoms with persistent pain or fatigue not due to organic causes.  
     Atypical depression  
     ‘Masked’ depression
- F33. –**      **Recurrent depressive disorder**  
 A disorder characterized by repeated episodes of depression as described for depressive episode (F32)
- F34**      **Persistent mood [affective] disorders**  
**F34.1**      **Dysthymia**  
 A chronic depression of mood, lasting at least several years, which is not sufficiently severe, or in which individual episodes are not sufficiently prolonged, to justify a diagnosis of severe, moderate, or mild recurrent depressive disorder.
- F45**      **Somatoform disorders**  
 The main feature is repeated presentation of physical symptoms together with persistent requests for medical investigations, in spite of repeated negative findings and reassurances by doctors that the symptoms have no physical basis. If any physical disorders are present, they do not explain the nature and extent of the symptoms or the distress and preoccupation of the patient.
- F43.0**      **Somatization disorder**  
 The main features are multiple, recurrent and frequently changing physical symptoms of at least 2 years’ duration. Most patients have a long and complicated history of contact with both primary and specialist medical care services, during which many negative investigations or fruitless exploratory operations may have been carried out. Symptoms may be referred to any part or system of the body. The course of the disorder is chronic and fluctuating, and is often associated with disruption of social, interpersonal and family behaviour. Short-lived (less than 2 years) and less striking symptom patterns should be classified under undifferentiated somatoform disorder (F45.1).  
     Multiple psychosomatic disorder
- F43.1**      **Undifferentiated somatoform disorder**  
 When somatoform complaints are multiple, varying and persistent, but the complete and typical clinical picture of somatization disorder is not fulfilled, the diagnosis of undifferentiated somatoform disorder should be considered.
- F43.2**      **Hypochondriacal disorder**  
 The essential feature is a persistent preoccupation with the possibility of having one or more serious and progressive physical disorders. Patients manifest persistent somatic complaints. Normal or commonplace sensations are often interpreted by the patient as abnormal and distressing, and attention is usually focused upon only one or two organs or systems of the body. Marked depression and anxiety are often present.
- F45.3**      **Somatoform autonomic dysfunction**  
     Psychogenic hyperventilation
- F45.4**      **Persistent somatoform pain disorder**  
 The predominant complaint is of persistent, severe and distressing pain, which cannot be explained fully by a physiological process or a physical disorder, and which occurs in association with emotional conflict or psychosocial problems that are sufficient to allow the conclusion that they are the main causative influences. The result is usually a marked increase in support and attention, either personal or medical.  
     Psychogenic headache

**F48 Other neurotic disorders****F48.0 Neurasthenia**

Two main types may be distinguished, although with substantial overlap. In one type, the main feature is a complaint of increased fatigue after mental effort. In the other type, the emphasis is on feelings of bodily or physical weakness and exhaustion after only minimal effort, accompanied by a feeling of muscular aches and pains and inability to relax. In both types a variety of other unpleasant physical feeling is common, such as dizziness, (tension) headaches, and feelings of general instability.

Use additional code, if desired, to identify previous physical illness.

Fatigue syndrome

**F54 Psychological and behavioural factors associated with disorders or diseases classified elsewhere**

This category should be used to record the presence of psychological or behavioural influences thought to have played a major part in the etiology of physical disorders which can be classified to other chapters. Any resulting mental disturbances are usually mild, and often prolonged (such as worry, emotional conflict, apprehension) and do not of themselves justify the use of any of the categories in this chapter.

Psychological factors affecting physical conditions

Use additional code, if desired, to identify the associated physical disorder.

*Excludes:* tension-type headache (G44.2)

**F55 Abuse of non-dependence-producing substances**

A wide variety of medicaments and folk remedies may be involved, but the particularly important groups are: (a) psychotropic drugs that do not produce dependence, such as antidepressants, (b) laxatives, and (c) analgesics that may be purchased without medical prescription, such as aspirin and paracetamol.

Persistent use of these substances often involves unnecessary contacts with medical professionals or supporting staff, and is sometimes accompanied by harmful physical effects of the substances. Attempts to dissuade or forbid the use of the substance are often met with resistance; for laxatives and analgesics this may be in spite of warnings about (or even the development of) physical harm such as renal dysfunction or electrolyte disturbances. Although it is usually clear that the patient has a strong motivation to take the substance, dependence or withdrawal symptoms do not develop as in the case of the psychoactive substances specified in F10–F19.

*Excludes:* abuse of psychoactive substances (F10–F19)

F55.0 Abuse of antidepressants

F55.1 Abuse of laxatives

F55.2 Abuse of analgesics

F55.3 Abuse of antacids

F55.4 Abuse of vitamins

F55.5 Abuse of steroids or hormones

F55.6 Abuse of specific herbal or folk remedies

F55.8 Abuse of other substances that do not produce dependence

F55.9 Abuse of unspecified substances

**F68 Other disorders of adult personality and behaviour****F68.0 Elaboration of physical symptoms for psychological reasons**

Physical symptoms compatible with and originally due to a confirmed physical disorder, disease or disability become exaggerated or prolonged due to the psychological state of the patient. The patient is commonly distressed by this pain or disability, and is often preoccupied with worries, which may be justified, of the possibility of prolonged or progressive disability or pain.

Compensation neurosis

F68.1 Intentional production or feigning of symptoms or disabilities, either physical or psychological [factitious disorder]

The patient feigns symptoms repeatedly for no obvious reason and may even inflict self-harm in order to produce symptoms or signs. The motivation is obscure and presumably

internal with the aim of adopting the sick role. The disorder is often combined with marked disorders of personality and relationships.

Hospital hopper syndrome

Münchhausen's syndrome

Peregrinating patient

*Excludes:* person feigning illness (with obvious motivation) (Z76.5)

## Chapter VI DISEASES OF THE NERVOUS SYSTEM G00–G99

- G00 Bacterial meningitis, not elsewhere classified**  
 G00.0 Haemophilus meningitis  
 G00.1 Pneumococcal meningitis  
 G00.2 Streptococcal meningitis  
 G00.3 Staphylococcal meningitis  
 G00.8 Other bacterial meningitis
- G01\* Meningitis in bacterial diseases classified elsewhere**
- G02\* Meningitis in other infectious and parasitic diseases classified elsewhere**  
 G02.0\* Meningitis in viral diseases classified elsewhere  
 G02.1\* Meningitis in mycoses classified elsewhere  
 G02.8\* Meningitis in other specified infectious and parasitic diseases classified elsewhere
- G03 Meningitis due to other and unspecified causes**  
 G03.8 Meningitis due to other specified causes
- G04 Encephalitis, myelitis and encephalomyelitis**
- G05\* Encephalitis, myelitis and encephalomyelitis in diseases classified elsewhere**
- G06 Intracranial and intraspinal abscess and granuloma**  
 G06.0 Intracranial abscess and granuloma  
 G06.2 Extradural and subdural abscess, unspecified
- G07\* Intracranial and intraspinal abscess and granuloma in diseases classified elsewhere**
- G08 Intracranial and intraspinal phlebitis and thrombophlebitis**
- G09 Sequelae of inflammatory diseases of central nervous system**
- G35 Multiple sclerosis**
- G43 Migraine**  
 (for subdivisions see Section Ia Overview)
- G44 Other headache syndromes**  
 (for subdivisions see Section Ia Overview)
- G45 Transient cerebral ischaemic attacks and related syndromes**  
 G45.0 Vertebro-basilar artery syndrome  
 G45.1 Carotid artery syndrome  
 G45.2 Multiple and bilateral precerebral artery syndromes  
 G45.3 Amaurosis fugax  
 G45.8 Other transient cerebral ischaemic attacks and related syndromes  
 G45.9 Transient cerebral ischaemic attack, unspecified

- G46\***      **Vascular syndromes of brain in cerebrovascular disease (I63.3+, I63.4+, I63.5+)**  
 Use additional sixth character, if desired, to indicate side of lesion:  
     .xx0 left  
     .xx1 right  
     .xx2 left and right (symmetrical)
- G46.0\*      Middle cerebral artery syndrome  
 G46.1\*      Anterior cerebral artery syndrome  
 G46.2\*      Posterior cerebral artery syndrome  
             G46.21\* Deep posterior cerebral artery syndrome  
             Thalamic syndrome
- G46.3\*      Brain stem stroke syndrome  
 G46.4\*      Cerebellar stroke syndrome  
 G46.5\*      Pure motor lacunar syndrome  
 G46.6\*      Pure sensory lacunar syndrome  
 G46.7\*      Other lacunar syndromes  
 G46.8\*      Other vascular syndromes of brain in cerebrovascular diseases
- G47**      **Sleep disorders**  
 G47.0      Disorders of initiating and maintaining sleep [insomnias]  
 G47.1      Disorders of excessive somnolence [hypersomnias]  
 G47.2      Disorders of the sleep-wake schedule  
 G47.3      Sleep apnoea  
 G47.4      Narcolepsy and cataplexy  
 G47.8      Other sleep disorders  
 G47.9      Sleep disorder, unspecified
- G50**      **Disorders of trigeminal nerve**  
 G50.0      Trigeminal neuralgia  
             G50.00 Idiopathic trigeminal neuralgia  
             G50.09 Secondary trigeminal neuralgia, not otherwise specified  
 G50.1      Atypical facial pain
- G51**      **Facial nerve disorders**  
 G51.8      Other disorders of facial nerve  
             G51.80 Nervus intermedius neuralgia
- G52**      **Disorders of other cranial nerves**  
 G52.1      Disorders of glossopharyngeal nerve  
             G52.10 Idiopathic glossopharyngeal neuralgia  
 G52.2      Disorders of vagus nerve  
             G52.20 Superior laryngeal neuralgia  
 G52.8      Disorders of other specified cranial nerves  
             G52.80 Occipital neuralgia  
             G52.81 Other idiopathic cranial neuralgia
- G53\***      **Cranial nerve disorders in diseases classified elsewhere**  
 G53.0\*      Postzoster neuralgia (B02.2+)  
             G53.00\* Postzoster trigeminal neuralgia  
             G53.01\* Postzoster glossopharyngeal neuralgia  
 G53.8\*      Other cranial nerve disorders in other diseases classified elsewhere  
             Other cranial neuralgia in diseases classified elsewhere  
             G53.80\* Other trigeminal (5th cranial) nerve disorder in other diseases classified elsewhere  
                 G53.800\* Secondary trigeminal neuralgia  
             G53.81\* Other facial (7th cranial) nerve disorder in other diseases classified elsewhere  
                 G53.810\* Secondary facial nerve neuralgia  
             G53.82\* Other glossopharyngeal (9th cranial) nerve disorder in other diseases classified elsewhere  
                 G53.820\* Secondary glossopharyngeal neuralgia



- G53.84\* Other vagus (10th cranial) nerve disorder in other diseases classified elsewhere
  - G53.840\* Secondary vagus nerve neuralgia
- G53.87\* Multiple cranial nerve disorder in other diseases classified elsewhere
  - G53.870\* Secondary neuralgia of multiple cranial nerves
- G53.88\* Other specified cranial nerve disorder in other diseases classified elsewhere
  - G53.880\* Other secondary cranial nerve neuralgia

**G54 Nerve root and plexus disorders**

G54.2 Cervical root disorders, not elsewhere classified

**G55\* Nerve root and plexus compressions in diseases classified elsewhere**

Use additional fifth and sixth character code to define location:

- G55.x00 first cervical root
- G55.x01 second cervical root
- G55.x02 third cervical root, etc.

- G55.0\* Nerve root and plexus compressions in neoplastic disease (C00–D48 +)
- G55.1\* Nerve root and plexus compressions in intervertebral disc disorders (M50 +, M51 +)
- G55.2\* Nerve root and plexus compressions in spondylosis (M47.–+)
- G55.3\* Nerve root and plexus compressions in other dorsopathies (M45 +, M46 +, M48 +, M53 +, M54 +)
- G55.8\* Nerve root and plexus compressions in other diseases classified elsewhere

**G91 Hydrocephalus**

- G91.0 Communicating hydrocephalus
- G91.1 Obstructive hydrocephalus
- G91.3 Post-traumatic hydrocephalus
- G91.8 Other hydrocephalus
  - High pressure hydrocephalus

**G93 Other disorders of brain**

- G93.2 Benign intracranial hypertension
- G93.3 Postviral fatigue syndrome
- G93.5 Compression or herniation of brain

**G94\* Other disorders of brain in diseases classified elsewhere**

- G94.0\* Hydrocephalus in infectious and parasitic diseases classified elsewhere (A00–B99 +)
- G94.1\* Hydrocephalus in neoplastic disease (C00–D48 +)
- G94.2\* Hydrocephalus in other diseases classified elsewhere

**G96 Other disorders of central nervous system**

- G96.0 Cerebrospinal fluid leak
  - G96.00 CSF rhinorrhoea
  - G96.01 CSF otorrhoea

**G97 Postprocedural disorders of nervous system not classified elsewhere**

- G97.0 Cerebrospinal fluid leak from spinal puncture
  - Post-lumbar puncture headache
- G97.2 Intracranial hypotension following ventricular shunting
- G97.8 Other postprocedural disorders of nervous system, not classified elsewhere
  - Post-operative chronic pain due to nerve damage

**Chapter VII DISEASES OF THE EYE AND ADNEXA (H00–H59)**

**H40 Glaucoma**

**H46 Optic neuritis**  
Retrobulbar neuritis NOS

<b>H48*</b>	<b>Disorders of optic [2nd] nerve and visual pathways in diseases classified elsewhere</b>
H48.1*	Retrobulbar neuritis in diseases classified elsewhere
<b>H49</b>	<b>Paralytic strabismus</b>
H49.0	Third [oculomotor] nerve palsy
H49.1	Fourth [trochlear] nerve palsy
H49.2	Sixth [abducent] nerve palsy
H49.8	Other paralytic strabismus
	External ophthalmoplegia NOS
H49.9	Paralytic strabismus, unspecified
<b>H50</b>	<b>Other strabismus</b>
H50.3	Intermittent heterotropia
H50.4	Other and unspecified heterotropia
H50.5	Heterophoria
<b>H52</b>	<b>Disorders of refraction and accommodation</b>
H52.0	Hypermetropia
H52.2	Astigmatism
H52.4	Presbyopia
H52.6	Other disorders of refraction
	Wearing of incorrect glasses
H52.7	Disorder of refraction, unspecified
<b>H57</b>	<b>Other disorders of eye and adnexa</b>
H57.1	Ocular pain NOS
<b>H58*</b>	<b>Other disorders of eye and adnexa in diseases classified elsewhere</b>
H58.1*	Visual disturbances in diseases classified elsewhere
H58.8*	Other specified disorders of eye and adnexa in diseases classified elsewhere

## **Chapter VIII DISEASES OF THE EAR AND MASTOID PROCESS (H60–H95)**

<b>H60</b>	<b>Otitis externa</b>
<b>H61</b>	<b>Other disorders of external ear</b>
<b>H62*</b>	<b>Disorders of external ear in diseases classified elsewhere</b>
<b>H65</b>	<b>Non-suppurative otitis media</b>
<b>H66</b>	<b>Suppurative and unspecified otitis media</b>
<b>H68</b>	<b>Eustachian salpingitis and obstruction</b>
<b>H69</b>	<b>Other disorders of Eustachian tube</b>
<b>H70</b>	<b>Mastoiditis and related conditions</b>
<b>H71</b>	<b>Cholesteatoma of middle ear</b>
<b>H75*</b>	<b>Other disorders of middle ear and mastoid in diseases classified elsewhere</b>
<b>H92</b>	<b>Otalgia and effusion of ear</b>
H92.0	Otalgia

**Chapter IX DISEASES OF THE CIRCULATORY SYSTEM (I)**

- I10 Essential hypertension**
- I15 Secondary hypertension**  
 I15.0 Renovascular hypertension  
 I15.1 Hypertension secondary to renal disorders  
 I15.2 Hypertension secondary to endocrine disorders  
 I15.8 Other secondary hypertension  
 I15.9 Secondary hypertension, unspecified
- I60 Subarachnoid haemorrhage**
- I61 Intracerebral haemorrhage**
- I62 Other non-traumatic intracerebral haemorrhage**  
 I62.0 Subdural haemorrhage (haematoma)  
 I62.1 Non-traumatic extradural haemorrhage (haematoma)  
 I62.9 Intracerebral haemorrhage (non-traumatic), unspecified
- I63 Cerebral infarction**  
 I63.0 Cerebral infarction due to thrombosis of precerebral arteries  
 I63.1 Cerebral infarction due to embolism of precerebral arteries  
 I63.2 Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries  
 I63.3 Cerebral infarction due to thrombosis of cerebral arteries  
 I63.4 Cerebral infarction due to embolism of cerebral arteries  
 I63.5 Cerebral infarction due to unspecified occlusion or stenosis of cerebral arteries  
 I63.6 Cerebral infarction due to cerebral venous thrombosis, non-pyogenic  
 I63.8 Other cerebral infarction  
 I63.9 Cerebral infarction, unspecified
- I64 Stroke, not specified as haemorrhage or infarction**
- I65 Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction**  
 I65.0 Occlusion and stenosis of vertebral artery  
 I65.2 Occlusion and stenosis of carotid artery
- I66 Occlusion and stenosis of cerebral arteries not resulting in cerebral infarction**
- I67 Other cerebrovascular diseases**  
 I67.0 Dissection of cerebral and precerebral arteries, non-ruptured  
 I67.1 Cerebral aneurysm, unruptured  
 I67.2 Cerebral atherosclerosis  
 I67.6 Non-pyogenic thrombosis of intracerebral venous system  
 I67.7 Cerebral arteritis, not elsewhere classified
- I68\* Cerebrovascular disorders in diseases classified elsewhere**  
 I68.1\* Cerebral arteritis in infectious and parasitic diseases  
 I68.2\* Cerebral arteritis in other diseases classified elsewhere  
     Cerebral arteritis in sarcoidosis (D86.8 +)
- I69 Sequelae of cerebrovascular disease**  
**Note:** This category is to be used to indicate conditions in I60–I67 as the cause of sequelae, themselves classified elsewhere. The ‘sequelae’ include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition.
- I97 Postprocedural disorders of circulatory system, not classified elsewhere**  
 I97.8 Other postprocedural disorders of circulatory system, not classified elsewhere  
     Postendarterectomy disorders

**Chapter X DISEASES OF THE RESPIRATORY SYSTEM (J)**

<b>J01</b>	<b>Acute sinusitis</b>
J01.0	Acute maxillary sinusitis
J01.1	Acute frontal sinusitis
J01.2	Acute ethmoidal sinusitis
J01.3	Acute sphenoidal sinusitis
J01.4	Acute pansinusitis
J01.5	Other acute sinusitis
	Acute sinusitis involving more than one sinus but not pansinusitis
J01.9	Acute sinusitis, unspecified
<b>J10. –</b>	<b>Influenza due to identified influenza virus</b>
<b>J11. –</b>	<b>Influenza, virus not identified</b>
<b>J12. –</b>	<b>Viral pneumonia, not classified elsewhere</b>
<b>J13</b>	<b>Pneumonia due to <i>Streptococcus pneumoniae</i></b>
<b>J14</b>	<b>Pneumonia due to <i>Haemophilus influenza</i></b>
<b>J15. –</b>	<b>Bacterial pneumonia, not classified elsewhere</b>
<b>J16. –</b>	<b>Pneumonia due to other infectious organisms, not classified elsewhere</b>
<b>J17. – *</b>	<b>Pneumonia in diseases classified elsewhere</b>
<b>J18. –</b>	<b>Pneumonia, organism unspecified</b>
<b>J20. –</b>	<b>Acute bronchitis</b>
<b>J21. –</b>	<b>Acute bronchiolitis</b>
<b>J22</b>	<b>Unspecified acute lower respiratory infection</b>
<b>J32. –</b>	<b>Chronic sinusitis</b>
<b>J34</b>	<b>Other disorders of nose and nasal sinuses</b>
J34.2	Deviated nasal septum
J34.3	Hypertrophy of nasal turbinates
	Atrophic nasal sinus membrane
<b>J40</b>	<b>Bronchitis, not specified as acute or chronic</b>
<b>J41. –</b>	<b>Simple and mucopurulent bronchitis</b>
<b>J42</b>	<b>Unspecified chronic bronchitis</b>
<b>J43. –</b>	<b>Emphysema</b>
<b>J44. –</b>	<b>Other chronic obstructive pulmonary disease</b>
<b>J45. –</b>	<b>Asthma</b>
<b>J46</b>	<b>Status asthmaticus</b>
<b>J47</b>	<b>Bronchiectasis</b>

J60	<b>Coalworker's pneumoconiosis</b>
J61	<b>Pneumoconiosis due to asbestos and other mineral fibres</b>
J62.—	<b>Pneumoconiosis due to dust containing silica</b>
J63.—	<b>Pneumoconiosis due to other inorganic dusts</b>
J64	<b>Unspecified pneumoconiosis</b>
J65	<b>Pneumoconiosis associated with tuberculosis</b>
J66.—	<b>Airway disease due to specific organic dust</b>
J67.—	<b>Hypersensitivity pneumonitis due to organic dust</b>
J68.—	<b>Respiratory conditions due to inhalation of chemicals, gases, fumes and vapours</b>
J70—	<b>Respiratory conditions due to other external agents</b>
J80	<b>Adult respiratory distress syndrome</b>
J81	<b>Pulmonary oedema</b>
J82	<b>Pulmonary eosinophilia, not classified elsewhere</b>
J84.—	<b>Other interstitial pulmonary diseases</b>
J95	<b>Postprocedural respiratory disorders, not classified elsewhere</b>
J95.3	Chronic pulmonary insufficiency following surgery
J96.—	<b>Respiratory failure, not classified elsewhere</b>
J98.—	<b>Other respiratory disorders</b>
J99.—*	<b>Respiratory disorders in diseases classified elsewhere</b>

## Chapter XI DISEASES OF THE DIGESTIVE SYSTEM (K)

K01	<b>Embedded and impacted teeth</b> <i>Excludes:</i> embedded and impacted teeth with abnormal position of such teeth or adjacent teeth (K07.3)
K01.0	Embedded teeth An embedded tooth is one that has failed to erupt without obstruction by another tooth.
K01.1	Impacted teeth An impacted tooth is one that has failed to erupt because of obstruction by another tooth.
K04.—	<b>Diseases of pulp and periapical tissues</b>
K05	<b>Gingivitis and periodontal diseases</b>
K05.2	Acute periodontitis
K05.3	Chronic periodontitis
K05.4	Periodontosis
K07	<b>Dentofacial anomalies [including malocclusion]</b>
K07.3	Anomalies of tooth position Impacted or embedded teeth with abnormal position of such teeth or adjacent teeth
K07.4	Malocclusion, unspecified
K07.6	Temporomandibular joint disorders

**Chapter XII DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (L)****Chapter XIII DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (M)**

<b>M31</b>	<b>Other necrotizing vasculopathies</b>
M31.5	Giant cell arteritis with polymyalgia rheumatica
M31.6	Other giant cell arteritis
<b>M45</b>	<b>Ankylosing spondylitis</b>
<b>M46</b>	<b>Other inflammatory spondylopathies</b>
M46.9	Inflammatory spondylopathy, unspecified
<b>M47</b>	<b>Spondylosis</b>
M47.0	Anterior spinal or vertebral artery compression syndromes
M47.8	Other spondylosis
	Cervical spondylosis without myelopathy or radiculopathy
<b>M48</b>	<b>Other spondylopathies</b>
M48.3	Traumatic spondylopathy
M48.9	Spondylopathy, unspecified
<b>M50</b>	<b>Cervical disc disorders</b>
M50.0	Cervical disc disorder with myelopathy
M50.1	Cervical disc disorder with radiculopathy
M50.9	Cervical disc disorder, unspecified
<b>M51.—</b>	<b>Other intervertebral disc disorders</b>
<b>M53</b>	<b>Other dorsopathies, not classified elsewhere</b>
M53.0	Cervicocranial syndrome
<b>M54</b>	<b>Dorsalgia</b>
M54.1	Radiculopathy
	M54.10 Cervical radiculopathy
M54.2	Cervicalgia
<b>M79</b>	<b>Other soft tissue disorders, not classified elsewhere</b>
M79.8	Other specified soft tissue disorders, not classified elsewhere
	Retropharyngeal tendinitis
<b>M86</b>	<b>Osteomyelitis</b>
M86.9	Osteomyelitis, unspecified
	M86.98 Osteomyelitis of head or skull
<b>M99</b>	<b>Biomechanical lesions, not classified elsewhere</b>
	<b>Note:</b> This category should not be used if the condition can be classified elsewhere.
	Use additional fifth character to indicate the site of the lesion:
	M99.x0 head region (occipitocervical)
	M99.x1 cervical region (cervicothoracic)
M99.0	Segmental and somatic dysfunction
M99.1	Subluxation complex (vertebral)
M99.2	Subluxation stenosis of neural canal
M99.3	Osseous stenosis of neural canal
M99.4	Connective tissue stenosis of neural canal
M99.5	Intervertebral disc stenosis of neural canal

- M99.6 Osseous and s luxation stenosis of intervertebral foramina  
 M99.7 Connective tissue and disc stenosis of intervertebral foramina  
 M99.8 Other biomechanical lesion  
 M99.9 Biomechanical lesion, unspecified

#### **Chapter XIV DISEASES OF THE GENITOURINARY SYSTEM (N00–N99)**

- N00 Acute nephritic syndrome  
 N01 Rapidly progressive nephritic syndrome  
 N03 Chronic nephritic syndrome  
 N04 Nephrotic syndrome  
 N05 Unspecified nephritic syndrome  
 N08\* Glomerular disorders in diseases classified elsewhere  
 N10 Acute tubulo-interstitial nephritis  
 N11 Chronic tubulo-interstitial nephritis  
 N12 Tubulo-interstitial nephritis, not specified as acute or chronic  
 N13 Obstructive and reflux uropathy  
 N14 Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions  
 N15 Other renal tubulo-interstitial diseases  
 N16\* Renal tubulo-interstitial disorders in diseases classified elsewhere  
 N17 Acute renal failure  
 N18 Chronic renal failure  
 N19 Unspecified renal failure  
 N94 Pain and other conditions associated with female genital organs and menstrual cycle  
 N94.3 Premenstrual tension syndrome  
     Menstrual migraine

#### **Chapter XV PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (O)**

- O10 Pre-existing hypertension complicating pregnancy, childbirth and the puerperium  
 O11 Pre-existing hypertensive disorder with superimposed proteinuria  
 O13 Gestational [pregnancy-induced] hypertension without significant proteinuria  
     Gestational hypertension NOS  
     Mild pre-eclampsia  
 O14 Gestational [pregnancy-induced] hypertension with significant proteinuria  
     Pre-eclampsia (moderate) (severe)  
 O15 Eclampsia

- O29            Complications of anaesthesia during pregnancy**  
O29.4        Spinal and epidural anaesthesia-induced headache during pregnancy
- O74            Complications of anaesthesia during labour and delivery**  
O74.5        Spinal and epidural anaesthesia-induced headache during labour and delivery
- O89            Complications of anaesthesia during the puerperium**  
O89.4        Spinal and epidural anaesthesia-induced headache during the puerperium

## **Chapter XVI    CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P)**

### **Chapter XVII   CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (Q)**

- Q28            Other congenital malformations of circulatory system**  
Q28.0        Arteriovenous malformations of precerebral vessels  
Q28.1        Other malformations of precerebral vessels  
Q28.2        Arteriovenous malformation of cerebral vessels  
Q28.3        Other malformations of cerebral vessels  
              Congenital cerebral aneurysm (non-ruptured)

### **Chapter XVIII   SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT CLASSIFIED ELSEWHERE (R)**

- R06            Abnormalities of breathing**  
R06.4        Hyperventilation
- R10            Abdominal and pelvic pain**  
R10.4        Other and unspecified abdominal pain
- R11            Nausea and vomiting**
- R20            Disturbances of skin sensation**  
R20.2        Paraesthesia of skin
- R51            Headache**  
              Facial pain NOS
- R52            Pain, not classified elsewhere**  
R52.0        Acute pain  
R52.1        Chronic intractable pain  
R52.2        Other chronic pain  
R52.9        Pain, unspecified

### **Chapter XIX    INJURY, POISONING AND CERTAIN OTHER CONSEQUENCES OF EXTERNAL CAUSES (S, T)**

- S00            Superficial injury of head**
- S01            Open wound of head**
- S02            Fracture of skull and facial bones**
- S03            Dislocation, sprain and strain of joints and ligaments of head**



- S04 Injury of cranial nerves**  
**S05 Injury of eye and orbit**
- S06 Intracranial injury**  
 The following fifth character subdivisions are provided for optional use where it is not possible or not desired to use multiple coding to identify intracranial injury and open wound:  
 S06.x0 Without open intracranial wound  
 S06.x1 With open intracranial wound
- S06.0 Concussion  
     Commotio cerebri
- S06.1 Traumatic cerebral oedema
- S06.2 Diffuse brain injury
- S06.3 Focal brain injury  
     Use additional 6th character, if desired, to indicate localization:  
 S06.3x0 frontal  
 S06.3x1 temporal  
 S06.3x2 parietal  
 S06.3x3 occipital  
 S06.3x4 deep cerebral hemisphere  
 S06.3x5 corpus callosum  
 S06.3x6 brain stem  
 S06.3x7 cerebellar
- S06.4 Epidural haemorrhage
- S06.5 Traumatic subdural haemorrhage  
 S06.5x0 Acute traumatic subdural haemorrhage (within 48 h of trauma)  
 S06.5x1 Subacute traumatic subdural haemorrhage (between 2 and 7 days of trauma)  
 S06.5x2 Chronic traumatic subdural haemorrhage (after 8th day of trauma)
- S06.6 Traumatic subarachnoid haemorrhage
- S06.8 Other intracranial injury  
 S06.80 Traumatic intracranial haemorrhage NOS
- S06.9 Intracranial injury, unspecified  
     Brain injury NOS
- S12 Fracture of neck**
- S13 Dislocation, sprain and strain of joints and ligaments at neck level**
- S14 Injury of nerves and spinal cord at neck level**
- S15 Injury of blood vessels at neck level**
- S16 Injury of muscle and tendon at neck level**
- TOXIC EFFECTS OF SUBSTANCES CHIEFLY NON-MEDICINAL AS TO SOURCE (T51–T65)**
- T51 Toxic effect of alcohol**
- T52 Toxic effect of organic solvents**
- T53 Toxic effect of halogen derivatives of aliphatic and aromatic hydrocarbons**
- T54 Toxic effect of corrosive substances**
- T55 Toxic effect of soaps and detergents**
- T56 Toxic effect of metals**

- T57 Toxic effect of other non-organic substances
- T58 Toxic effect of carbon monoxide
- T59 Toxic effect of other gases, fumes and vapours
- T60 Toxic effect of pesticides
- T61 Toxic effect of noxious substances eaten as seafood
- T62 Toxic effect of other noxious substances eaten as food
- T63 Toxic effect of contact with venomous animals
- T64 Toxic effect of aflatoxin and other mycotoxin food contaminants
- T65 Toxic effect of other and unspecified substances

**OTHER AND UNSPECIFIED EFFECTS OF EXTERNAL CAUSES (T66–T78)**

- T67 Effects of heat and light  
T67.0 Heatstroke and sunstroke
- T70 Effects of air pressure and water pressure  
T70.2 Other and unspecified effects of high altitude  
Mountain sickness
- T78 Adverse effects, not classified elsewhere  
T78.1 Other adverse food reactions, not classified elsewhere

**SEQUELAE OF INJURIES, OF POISONING AND OF OTHER CONSEQUENCES OF EXTERNAL CAUSES (T90–T91)**

**Note:** These categories are to be used to indicate conditions in S00–S16 and T67–T78 as the cause of late effects, which are themselves classified elsewhere. The 'sequelae' include those specified as such, or as late effects, or those which are present one year or more after the acute injury.

- T90 Sequelae of injuries of head  
T90.5 Sequelae of intracranial injury
- T91 Sequelae of injuries of neck and trunk  
T91.8 Sequelae of other specified injuries of neck and trunk

**Chapter XX EXTERNAL CAUSES OF MORBIDITY AND MORTALITY (V,W,X,Y)**

- W94 Exposure to high and low air pressure and changes in air pressure  
Residence or prolonged visit at high altitude as the cause of headache

**ACCIDENTAL POISONING BY AND EXPOSURE TO NOXIOUS SUBSTANCES (X40–X49)**

- X40 Accidental poisoning by and exposure to non-opioid analgesics, antipyretics and antirheumatics
- X41 Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, anti-Parkinsonism and psychotropic drugs, not classified elsewhere

- X42**      **Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not classified elsewhere**
- X43**      **Accidental poisoning by and exposure to other drugs acting on the autonomic nervous system**
- X44**      **Accidental poisoning by and exposure to other and unspecified drugs, medicaments and biological substances**
- X45**      **Accidental poisoning by and exposure to alcohol**
- X46**      **Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapours**
- X47**      **Accidental poisoning by and exposure to other gases and vapours**  
Includes:  
    lacrimogenic gas [tear gas]  
    motor (vehicle) exhaust gas  
    nitrogen oxides  
    sulphur utility gas dioxide
- X48**      **Accidental poisoning by and exposure to pesticides**  
Includes:  
    fumigants  
    fungicides  
    herbicides  
    insecticides  
    rodenticides  
    wood preservatives
- X49**      **Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances**
- DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (Y40–Y59)**
- Y42**      **Hormones and their synthetic substitutes and antagonists, not classified elsewhere**
- Y42.4      Oral contraceptives
- Y45**      **Analgesics, antipyretics and anti-inflammatory drugs**
- Y47**      **Sedatives, hypnotics and antianxiety drugs**
- Y48**      **Anaesthetics and therapeutic gases**
- Y49**      **Psychotropic drugs, not classified elsewhere**
- Y50**      **Central nervous system stimulants, not classified elsewhere**
- Y50.2      Methylxanthines, not classified elsewhere  
    Caffeine
- Y52**      **Agents primarily affecting the cardiovascular system**
- Y52.5      Other antihypertensive drugs, not classified elsewhere  
    Clonidine  
    Ergotamine  
    Guanethidine  
    Rauwolfia

**Chapter XXI FACTORS INFLUENCING HEALTH STATUS AND CONTACT WITH HEALTH SERVICE (Z)**

- Z03 Medical observation and evaluation for suspected diseases and conditions**  
Z03.3 Observation for suspected nervous system disorder
- Z73 Problems related to life-management difficulty**  
Z73.0 Burn-out  
Z73.1 Accentuation of personality traits  
Type A behaviour pattern (characterized by unbridled ambition, a need for high achievement, impatience, competitiveness and a sense of urgency)  
Z73.2 Lack of relaxation and leisure  
Z73.3 Stress, not classified elsewhere  
Z73.5 Social role conflict, not classified elsewhere  
Z73.8 Other problems related to life-management difficulty
- Z76 Persons encountering health services in other circumstances**  
Z76.0 Issue of repeat prescription  
Z76.5 Malingerer [conscious simulation]  
Person feigning illness (with obvious motivation)
- Z99 Dependence on enabling machines and devices, not classified elsewhere**  
Z99.2 Dependence on renal dialysis  
Renal dialysis status